



SECO CONSTRUCTION SUPPLY



Sealant Specialists

JOHN LATTA ASSOCIATES, INC.

### Sealant Requirement Estimator

Joint Size (inches)			Linear Feet	
Depth	x	Width	10.1 oz.	Per Gallon
1/8	x	1/8	97.24	1232
1/8	x	1/4	48.62	616
1/8	x	3/8	32.44	411
1/8	x	1/2	24.31	308
1/8	x	5/8	19.49	247
1/8	x	3/4	16.26	206
1/8	x	7/8	13.89	176
1/8	x	1	12.15	154
3/16	x	1/4	32.44	411
3/16	x	3/8	21.63	274
3/16	x	1/2	16.18	205
3/16	x	5/8	12.94	164
3/16	x	3/4	10.81	137
3/16	x	1	8.13	103
1/4	x	1/4	24.31	308
1/4	x	3/8	16.18	205
1/4	x	1/2	12.15	154
1/4	x	5/8	9.79	124
1/4	x	3/4	8.13	103
1/4	x	7/8	6.95	88
1/4	x	1	6.08	77
3/8	x	3/8	10.81	137
3/8	x	1/2	8.13	103
3/8	x	5/8	6.47	82
3/8	x	3/4	5.37	68
3/8	x	7/8	4.66	59
3/8	x	1	4.03	51
3/8	x	1 1/2	2.68	34
3/8	x	2	1.97	25
3/8	x	3	1.34	17

Joint Size (inches)			Linear Feet	
Depth	x	Width	10.1 oz.	Per Gallon
1/2	x	1/2	6.1	77.0
1/2	x	5/8	4.9	62.0
1/2	x	3/4	4.0	51.0
1/2	x	7/8	3.5	44.0
1/2	x	1	3.1	39.0
1/2	x	1 1/2	2.0	25.0
1/2	x	2	1.5	19.5
1/2	x	3	1.0	12.5
5/8	x	5/8	3.9	49.0
5/8	x	3/4	3.2	41.0
5/8	x	7/8	2.8	35.0
5/8	x	1	2.4	30.0
5/8	x	1 1/2	1.6	20.5
5/8	x	2	1.2	15.0
3/4	x	3/4	2.7	34.0
3/4	x	7/8	2.3	29.0
3/4	x	1	2.0	25.0
3/4	x	1 1/2	1.3	17.0
3/4	x	2	1.0	12.5
3/4	x	3	0.7	8.5
7/8	x	7/8	2.0	25.0
7/8	x	1	1.7	22.0
7/8	x	1 1/2	1.2	14.7
7/8	x	2	0.9	11.0
7/8	x	3	0.6	7.3
1	x	1	1.5	19.0